

SAFETY DATA SHEET

1. SUBSTANCE AND SOURCE IDENTIFICATION

Product Identifier

SRM Number: 423

SRM Name: Molybdenum Oxide Concentrate **Other Means of Identification:** Not applicable.

Recommended Use of This Material and Restrictions of Use

This Standard Reference Material (SRM) is intended for use in the evaluation of chemical and instrumental methods of analysis. A unit of SRM 423 consists of one pouch containing approximately 60 g of molybdenum oxide (MoO₃) powder, a concentrate from a commercial mining and refining process.

Company Information

National Institute of Standards and Technology

Standard Reference Materials Program

100 Bureau Drive, Stop 2300 Gaithersburg, Maryland 20899-2300

 Telephone: 301-975-2200
 Emergency Telephone ChemTrec:

 FAX: 301-948-3730
 1-800-424-9300 (North America)

 E-mail: SRMMSDS@nist.gov
 +1-703-527-3887 (International)

Website: http://www.nist.gov/srm

2. HAZARDS IDENTIFICATION

Classification

Physical Hazard: Not classified.

Health Hazard: Eye Damage/Irritation Category 2B

STOT, Single Exposure Category 3, Respiratory Tract Irritation.

Label Elements

Symbol



Signal Word WARNING

Hazard Statement(s)

H320 Causes eye irritation.

H335 May cause respiratory irritation.

Precautionary Statement(s)

P261 Avoid breathing dust.

P264 Wash hands thoroughly after handling.
P271 Use only outdoors or in a well-ventilated area.

P304+P340 If inhaled: Remove person to fresh air and keep comfortable for breathing.

P312 Call a doctor if you feel unwell.

P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contacts if present and

easy to do. Continue rinsing.

P337+P313 If eye irritation persists: Get medical attention.

P403+P233 Store in well-ventilated place. Keep container tightly closed.

P405 Store locked up.

P501 Dispose of contents and container according to local regulations.

SRM 423 Page 1 of 6

Hazards Not Otherwise Classified: Not applicable.

Ingredients(s) with Unknown Acute Toxicity: Not applicable.

3. COMPOSITION AND INFORMATION ON HAZARDOUS INGREDIENTS

Substance: Molybdenum trioxide

Other Designations: molybdenum oxide; molybdena; molybdic trioxide.

Components are listed in compliance with OSHA's 29 CFR 1910.1200. The material contains trace amounts of other oxide components; for the actual values see the NIST Certificate of Analysis.

Hazardous Component(s)	CAS Number	EC Number (EINECS)	Nominal Mass Concentration (%)
Molybdenum oxide	1313-27-5	215-204-7	>90

4. FIRST AID MEASURES

Description of First Aid Measures:

Inhalation: If adverse effects occur, remove to uncontaminated area. If not breathing, give artificial respiration or oxygen by qualified personnel. Seek immediate medical attention.

Skin Contact: Wash skin with soap and water.

Eye Contact: Flush eyes with water for at least 15 minutes. If necessary, seek medical attention.

Ingestion: If adverse effects occur after ingestion, seek medical treatment.

Most Important Symptoms/Effects, Acute and Delayed: May cause respiratory tract and eye irritation.

Indication of any immediate medical attention and special treatment needed, if necessary: If any of the above symptoms are present, seek medical attention if needed.

5. FIRE FIGHTING MEASURES

Fire and Explosion Hazards: Negligible fire hazard. Avoid generating dust. See Section 9, "Physical and Chemical Properties" for flammability properties.

Extinguishing Media:

Suitable: Use extinguishing media appropriate for surrounding fire.

Unsuitable: None listed.

Specific Hazards Arising from the Chemical: None listed.

Special Protective Equipment and Precautions for Fire-Fighters: Avoid inhalation of material or combustion byproducts. Wear full protective clothing and NIOSH approved self-contained breathing apparatus (SCBA).

NFPA Ratings (0 = Minimal; 1 = Slight; 2 = Moderate; 3 = Serious; 4 = Severe)

Health = 1 Fire = 0 Reactivity = 0

6. ACCIDENTAL RELEASE MEASURES

Personal Precautions, Protective Equipment and Emergency Procedures: Any accumulated material on surfaces should be removed and properly disposed of. Use suitable protective equipment; see Section 8, "Exposure Controls and Personal Protection".

Methods and Materials for Containment and Clean up: Collect spilled material in appropriate container for disposal. Keep out of water supplies and sewers. Keep unnecessary people away, isolate hazard area and deny entry.

7. HANDLING AND STORAGE

Safe Handling Precautions: Minimize dust generation and accumulation on surfaces. Routine housekeeping should be instituted to ensure that dusts do not accumulate on surfaces. See Section 8, "Exposure Controls and Personal Protection".

Storage: Store and handle in accordance with all current regulations and standards.

SRM 423 Page 2 of 6

8. Exposure Controls and Personal Protection

Exposure Limits: No occupational exposure limits have been established for molybdenum oxide. This material is a particulate matter and adequate inhalation/respiratory protection should be used to minimize exposure. The exposure limits for Particulates Not Otherwise Regulated (PNOR) are applicable.

OSHA (PEL): 15 mg/m³ (TWA, total particulates)
OSHA (PEL): 5 mg/m³ (TWA, respirable particulates)
NIOSH (REL): 10 mg/m³ (TWA, total particulates)
NIOSH (REL): 5 mg/m³ (TWA, respirable particulates)

Engineering Controls: Provide local exhaust or process enclosure ventilation system. Ensure compliance with applicable exposure limits.

Personal Protection: In accordance with OSHA 29 CFR 1910.132, subpart I, wear appropriate Personal Protective Equipment (PPE) to minimize exposure to this material.

Respiratory Protection: If workplace conditions warrant a respirator, a respiratory protection program that meets OSHA 29CFR 1910.134 must be followed. Refer to NIOSH 42 CFR 84 for applicable certified respirators.

Eye/Face Protection: Wear splash resistant safety goggles with a face shield. An eye wash station should be readily available near areas of use.

Skin and Body Protection: Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product. Chemical-resistant gloves should be worn at all times when handling chemicals.

9. PHYSICAL AND CHEMICAL PROPERTIES

Descriptive Properties:	Molybdenum Oxide
Appearance (physical state, color, etc.)	colorless to blue powder
Molecular Formula	MoO_3
Molar Mass (g/mol)	143.94
Odor	odorless
Odor threshold	not available
pН	not available
Evaporation rate	not applicable
Melting point/freezing point	795 °C (1463 °F)
Specific Gravity (water=1)	4.692
Vapor Pressure (mmHg)	not available
Vapor Density (air = 1)	not available
Viscosity (cP)	not available
Solubility(ies)	water: 0.22 % at 28 °C soluble: concentrated nitric acid/hydrochloric acid mixtures, concentrated nitric acid; concentrated sulfuric acid; ammonium bitartrate
Partition coefficient (n-octanol/water)	not available
Particle Size	not available
Thermal Stability Properties: Autoignition Temperature	not available
Thermal Decomposition	not available
Initial boiling point and boiling range	not available
Explosive Limits, LEL (Volume %)	not available
Explosive Limits, UEL (Volume %)	not available
Flash Point	not available
Flammability (solid, gas)	not available

SRM 423 Page 3 of 6

10. STABILITY AND REACTIVITY				
Reactivity: Stable at normal temperatures and pressure.				
Stability: X Stable Unstable				
Possible Hazardous Reactions: None listed.				
Conditions to Avoid: Avoid generating dust. Avoid heat, flames, sparks, and other sources of ignition.				
Incompatible Materials: Halogens, metals.				
Fire/Explosion Information: See Section 5, "Fire Fighting Measures".				
Hazardous Decomposition: Thermal decomposition will produce oxides of molybdenum, oxides of sulfur.				
Hazardous Polymerization: Will Occur X Will Not Occur				
11. TOXICOLOGICAL INFORMATION				
Route of Exposure: X Inhalation X Skin Ingestion				
Symptoms Related to the Physical, Chemical and Toxicological Characteristics: Generated dust may cause irritation, if inhaled or in eyes.				
Potential Health Effects (Acute, Chronic and Delayed):				
Inhalation: May cause irritation in the respiratory tract. Has been reported to cause cystic fibrosis, focal pneumoconiosis and cough. Mice produced increased alveolar/bronchiolar carcinoma in a two year study.				
Skin Contact: May cause mechanical irritation.				
Eye Contact: May cause mechanical irritation.				
Ingestion: No data available.				
Numerical Measures of Toxicity:				
Acute Toxicity: Not classified. Inhalation, Rat LC50: >5840 mg/m³ (4 h) Oral, Rat LD50: 2689 mg/kg Skin, Rat LD50: >2000 mg/kg				
Skin Corrosion/Irritation: Not classified; no data available.				
Serious Eye Damage/Eye Irritation: Category 2. May cause eye irritation.				
Respiratory Sensitization: Not classified; no data available.				
Skin Sensitization: Not classified; no data available.				
Germ Cell Mutagenicity: Not classified; no data available.				
Carcinogenicity: Not classified.				
Listed as a Carcinogen/Potential Carcinogen Yes X No Molybdenum oxide is not listed by NTP, IARC or OSHA as a carcinogen/potential carcinogen. Mutagenic data: Hamster, 500 mg/L. Tumorigenic data: Inhalation, Rat, TCLo: 100 mg/m³ (6 h); Inhalation, Mouse, TCLo: 10 mg/m³ (6 h); Intraperitoneal, Mouse, TCLo: 4750 mg/kg (7 week).				
Reproductive Toxicity: Not classified; no data available.				
Specific Target Organ Toxicity, Single Exposure: Category 3, Respiratory irritation.				
Specific Target Organ Toxicity, Repeated Exposure: Not classified; no data available.				
Aspiration Hazard: Not classified; no data available.				
12 Ecological Incormation				

12. Ecological Information

Ecotoxicity Data: No data available.

Persistence and Degradability: No data available.

SRM 423 Page 4 of 6

Bioaccumulative Potential: No data available.

Mobility in Soil: No data available.

Other Adverse effects: No data available.

13. DISPOSAL CONSIDERATIONS

Waste Disposal: Dispose of waste in accordance with all applicable federal, state, and local regulations.

14. TRANSPORTATION INFORMATION

U.S. DOT and IATA: Not regulated by DOT or IATA.

15. REGULATORY INFORMATION

U.S. Regulations:

CERCLA Sections 102a/103 (40 CFR 302.4): Not regulated.

SARA Title III Section 302 (40 CFR 355.30): Not regulated.

SARA Title III Section 304 (40 CFR 355.40): Not regulated.

SARA Title III Section 313 (40 CFR 372.65): 1 % de minimis concentration (related to Molybdenum compounds).

OSHA Process Safety (29 CFR 1910.119): Not regulated.

SARA Title III Sections 311/312 Hazardous Categories (40 CFR 370.21):

ACUTE HEALTH: Yes.
CHRONIC HEALTH: No.
FIRE: No.
REACTIVE: No.
PRESSURE: No.

State Regulations:

California Proposition 65: Not listed.

U.S. TSCA Inventory: Molybdenum oxide is listed.

TSCA 12(b), Export Notification: Not listed.

Canadian Regulations: WHMIS Information is not provided for this material.

16. OTHER INFORMATION

Issue Date: 24 April 2015

Sources: ChemADVISOR, Inc., SDS, *Molybdenum Oxide*, 15 December 2014.

29 CFR Occupational Health and Safety Office (OSHA) 1910.1000, Limits for Air Contaminants,

Table Z-1; available at

http://www.osha.gov/pls/oshaweb/owadisp.show_document?p_table=STANDARDS&p_id=9992

(accessed April 2015).

Center for Disease Control (CDC) NIOSH Pocket Guide to Chemical Hazards, *Particulates not otherwise regulated*; available at http://www.cdc.gov/niosh/npg/npgd0480.html (accessed April 2015).

ChemIDplus Advanced, National Library of Medicine's TOXNET system, *Molybdenum Trioxide CAS No. 1313-27-5*; available at http://chem.sis.nlm.nih.gov/chemidplus/ (accessed April 2015).

SRM 423 Page 5 of 6

Key of Acronyms:

ACGIH	American Conference of Governmental Industrial Hygienists	NRC	Nuclear Regulatory Commission
ALI	Annual Limit on Intake	NTP	National Toxicology Program
CAS	Chemical Abstracts Service	OSHA	Occupational Safety and Health Administration
CERCLA	Comprehensive Environmental Response,	PEL	Permissible Exposure Limit
	Compensation, and Liability Act		r
CFR	Code of Federal Regulations	RCRA	Resource Conservation and Recovery Act
DOT	Department of Transportation	REL	Recommended Exposure Limit
EC50	Effective Concentration, 50 %	RM	Reference Material
EINECS	European Inventory of Existing Commercial	RQ	Reportable Quantity
	Chemical Substances		
EPCRA	Emergency Planning and Community Right-to-Know	RTECS	Registry of Toxic Effects of Chemical Substances
	Act		
IARC	International Agency for Research on Cancer	SARA	Superfund Amendments and Reauthorization Act
IATA	International Air Transportation Agency	SCBA	Self-Contained Breathing Apparatus
IDLH	Immediately Dangerous to Life and Health	SRM	Standard Reference Material
LC50	Lethal Concentration, 50 %	STEL	Short Term Exposure Limit
LD50	Lethal Dose, 50 %	TLV	Threshold Limit Value
LEL	Lower Explosive Limit	TPQ	Threshold Planning Quantity
MSDS	Material Safety Data Sheet	TSCA	Toxic Substances Control Act
NFPA	National Fire Protection Association	TWA	Time Weighted Average
NIOSH	National Institute for Occupational Safety and Health	UEL	Upper Explosive Limit
NIST	National Institute of Standards and Technology	WHMIS	Workplace Hazardous Materials Information System

Disclaimer: Physical and chemical data contained in this SDS are provided only for use in assessing the hazardous nature of the material. The SDS was prepared carefully, using current references; however, NIST does not certify the data in the SDS. The certified values for this material are given in the NIST Certificate of Analysis.

Users of this SRM should ensure that the SDS in their possession is current. This can be accomplished by contacting the SRM Program: telephone (301) 975-2200; fax (301) 948-3730; e-mail srmmsds@nist.gov; or via the Internet at http://www.nist.gov/srm.

SRM 423 Page 6 of 6